

Dated, the 06th December, 2017

NOTICE INVITING QUOTATION

With the permission of the Superintending Archaeologist, Archaeological Survey of India, Kolkata Circle, Kolkata, the undersigned is hereby invites sealed quotation from authorized and reputed firm for the Replacement of the Changeover Switch-gear and Supplying of the related materials, fitting, fixing and painting of Panels at the Hazarduari Palace Museum, Murshidabad. The Quotations should be sent in sealed cover superscribed with the word "Replacement of the Changeover Switch-gear and Supplying of the related materials, fitting, fixing and painting of Panels" in the Hazarduari Palace Museum, Murshidabad on the address of Deputy Superintending Archaeologist, Archaeological Survey of India, Murshidabad, Phone: 03482-270334/ Fax: 03482-271605.

DETAILS OF ITEMS/WORKS

Sl. No.	Name of the works	Quantity/Aria	Rate to be quoted including all tax etc. charges, Per No.
1.	Supplying of Panel Tray for said Switch at the Hazarduari Palace Museum, Murshidabad		
2.	Supplying of 330 sq M.M Ring Socket/Flux etc. at the Hazarduari Palace Museum, Murshidabad		
3.	Supplying of Digital Amp-meter 400 Amps with assay at the Hazarduari Palace Museum, Murshidabad		
4.	Supplying of L.E.D. Pilot Lamp (Red, Yellow, Blue etc.) at the Hazarduari Palace Museum, Murshidabad		
5.	Supplying of C. T. Coil 200 Amps with CRGO Core at the Hazarduari Palace Museum, Murshidabad		
6.	Supplying of Digital Volt-Meter 660 Volts with assay at the Hazarduari Palace Museum, Murshidabad.		
7.	Supplying of Panel Painting at the Hazarduari Palace Museum, Murshidabad		
8.	Fitting, fixing charges for electrical Assay etc. of Panel for the replacement of the said Switch Gear at the Hazarduari Palace Museum, Murshidabad		

The Quotation should reach at the address given below and should be addressed to the Deputy Superintending Archaeologist, Archaeological Survey of India, Hazarduari Palace Museum, Murshidabad, Phone 03482-270334/ Fax-03482-271605. **Latest by 15.00 Hrs. of 12.12.2017.** Conditional quotations and those quotation received after the stipulated date and time are likely to be rejected. The rates as quoted should not be changed or modified will be permitted.

In all cases payment will be made by crossed cheque. Supplying of materials shall have to be completed within Seven days from the date of issue of Work Order.

Payment will be made on submission of bill after supplying of materials at the site and duly certified that the materials has been good/satisfactorily and subjected to the satisfaction of the Departmental Officer in charge of the site. The undersigned does not bind himself to accept the lowest rate and reserve the right to reject or accept or prefer any quotation either in full or in part without assigning any reason thereof in the interest of public service. The undersigned will not be responsible for loss of ay quotation in transit or otherwise.

(Dr. Gopinath Jena)
Deputy Superintending Archaeologist
Hazarduari Palace Museum, Murshidabad

Dated, the 06th December, 2017

F.No.H.M.-2/7/2017-18-

Copy to the :

1. Notice Board of office Hazarduari Palace Museum, Murshidabad
2. The Superintending Archaeologist, A.S.I. Kolkata Circle, Kolkata
3. Web Site: asikolkata.in/hazarduaripalacemuseum.com

Deputy Superintending Archaeologist
Hazarduari Palace Museum, Murshidabad